## **Technical Aptitude:**

- 1. The Tractor braking system is of
  - a) Mechanical type
  - b) Hydraulic type
  - c) Pneumatic type
  - d) Electrical type
- 2. The Power input of 1 ton air conditioner is
  - a) 1kw
  - b) 1.6kw
  - c) 2.4kw
  - d) 2.6kw
- 3. The refrigerator has a cooling capacity of 750 kcal/m. Its capacity in tons of refrigeration is equal to
  - a) 7.5
  - b) 10
  - c) 15
  - d) 30
- 4. The color code of refrigerator Ammonia is
  - a) Orange
  - b) White
  - c) Light blue
  - d) Green
- 5. The head used to remove any previous recording from the tape is
  - a) Recording head
  - b) Erasing head
  - c) Play back head
  - d) Running head
- 6. A Knee is a part of
  - a) Lathe
  - b) Milling machine
  - c) Jig boring machine
  - d) Grinding

- 7. Files are made of
  - a) H.S.S
  - b) C.I.
  - c) M.S.
  - d) None of these
- 8. The non ferrous metal with the lowest melting point is
  - a) Aluminum
  - b) Copper
  - c) Lead
  - d) Tin
- 9. The Front clearance angle of turning tool is maintained between
  - a) 3° to 4°
  - b) 8° to 12°
  - c) 15° to 18°
  - d) 22° to 25°
- 10. The number of Guide ways provided on the lathe bed is
  - a) One
  - b) Two
  - c) Three
  - d) Six
- 11. The formula for cutting speed in meter/minute for turning a job of diameter 0 mm is given by
  - a) πDN/100 meter/min
  - b) πDN/1000 meter/min
  - c)  $\pi/1000$  meter/min
  - d) None of these
- 12. Mandrel is a
  - a) Work holding device
  - b) Supporting device
  - c) a & b

d) None c) 3600 joules d) None of these 13. The following tool is used of r boring a deep hole 19. Otto cycle is also known as a) Drill a) Bell Coleman Cycle b) Reamer b) Carnot Cycle c) Boring bit c) Constant Volume Cycle d) Augur bit d) Sterling Cycle 14. Power Hack-saw blade cuts the material 20. The brake thermal efficiency and during mechanical efficiency of a diesel engine are 50% and 70% respectively. The indicator thermal a) Return stroke efficiency is b) Forward stroke c) a & b a) 20% b) 70% d) None c) 60% 15. For gear cutting operation the type of d) 80% milling used is 21. The king pin is indeed a) End milling b) Face milling a) Back wards c) Side milling b) Front wards d) Slit Milling c) Out wards d) In wards 16. Open and cross belt device quick return motion mechanism is used in 22. The grade of lubricant used in gear box is a) Horizontal shaper a) SAX 30 b) SAE 40 b) Vertical Shaper c) Slotter c) SAE 90 d) Planner d) SAE 150 17. In Direct Indexing the indexing plate used 23. The number of piles provided for a truck rotating the job spidle is provided with tyre is a) 44 holes a) 10 b) 20 holes b) 20 c) 24 holes c) 25 d) None of these d) 15 24. Propeller Shaft takes the drive from 18. One watt-hour is equal to a) 36000 joules a) Clutch b) 3000 joules b) Flywheel

- c) Gear box d) Differential 25. Petrol engine thermodynamic cycle a) Carnot Cycle b) Sterling Cycle c) Otto Cycle d) None 26. In gear ration between the starter pinion and the fly wheel ring gear is a) 8 b) 1:12 c) 1:16 d) 1:25
- 27. For measuring the ovality of the cylinder bore the gauge used is

uses

the

- a) Dial Indicator
- b) Plug gauge
- c) Micro meter
- d) Compression gauge
- 28. The crank shaft made of
  - a) Aluminum alloy
  - b) Cast Iron
  - c) Steel
  - d) Forged steel alloy
- 29. The composition of petrol fuel is approximately given as
  - a) 60% carbon, 40% hydrogen
  - b) 75% carbon, 25% hydrogen
  - c) 85%carbon, 15% hydrogen
  - d) 95% carbon, 5% hydrogen
- 30. The lubricating oil pump develops a pressure of
  - a) 1 to 2 kg/cm2

- b) 3 to 5 kg/cm2
- c) 5 to 8 kg/cm2
- d) 8 to 10 kg/cm2

## Answers:

following

- 1) a
- 2) b
- 3) c
- 4) c
- 5) a
- 6) b 7) a
- 8) d
- 9) b
- 10) b
- 11) b
- 12) a
- 13) c
- 14) b
- 15) a
- 16) d
- 17) c
- 18) c
- 19) c
- 20) b
- 21) d
- 22) c
- 23) d
- 24) c
- 25) c
- 26) c
- 27) c
- 28) d
- 30) b
- 29) c